

Revision Date: April 30, 2014 Supersedes: October 17, 2012

Section 1 • Product and Company Identification

Product Name: LPS® FOODLUBE Chain Spray Synthetic

Part Number(s): 57616

Chemical Name: Polyalphaolefin / Polybutene Mixture

Product Use: A food grade industrial lubricant for rubber, plastic and metal parts.

Manufacturer Information: LPS Laboratories, 4647 Hugh Howell Road, Tucker, GA, USA 30084

TEL: USA & Canada: 1 800 241-8334

Outside USA and Canada: +1 770 243-8800

FAX: USA & Canada: 1 800 543-1563

Outside USA and Canada: +1 770 243-8899

Emergency Telephone Number: Chemtrec: USA & Canada: 1 800 424-9300

Outside USA and Canada: +1 703 527-3887

Website: http://www.lpslabs.com

Section 2 • Hazards Identification

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Signal Word:

GHS Hazard Level	GHS Hazard Level	Hazard Statement
Flammable Aerosols	1	H222 -Extremely flammable aerosol
0	N/A	0
Eye Damage / Irritation	2B	H320 - Causes eye irritation.

DANGER

GHS Symbols:





Precautionary Statements

Prevention Keep away from heat/sparks/open flames / hot surfaces - no smoking. Do not spray on an open flame or other ignition source.

Pressurized container: do not pierce of burn, even after use. Wash hands thoroughly after handling. [P210, P211, P251, P264]

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice / attention. [P305, P351, P338, P337, P313]

Storage Protect from sunlight, store in a well-ventilated place and do not expose to temperatures exceeding 50oC/ 122oF. [P410, P403,

P4121

Disposal Dispose of contents/container in accordance with local / regional / national regulations. [P501]

Potential Chronic Health Effects:

Carcinogenic Effects: NTP: No IARC: No OSHA: No ACGIH: No



Revision Date: April 30, 2014 Supersedes: October 17, 2012

Mutagenic Effects: None

Teratogenic Effects: None

Target Organs: None

Medical conditions aggravated by exposure:

Persons with pre-existing central nervous system (CNS) disease, neurological conditions, skin disorders, chronic respiratory diseases, or impaired liver or kidney function should avoid exposure.

Signs and Symptoms

Stinging in eyes. Repeated or prolonged skin contact can cause redness, irritation, and scaling of the skin (dermatitis). Breathing of high vapor concentrations may cause headaches, stupor, irritation of throat and eyes, and kidney effects.

Section 3 • Composition / Information on Ingredients

Component	CASRN	Weight Percent
Liquified Petroleum Gas	68476-86-8	20 - 30%
1-Decene, Homopolymer, Hydrogenated	872-05-9	40 - 60%
Polybutene	9003-29-6	15 - 25%

Section 4 • First Aid Measures

Eyes: Check for and remove contact lenses. If irritation or redness develops, flush eyes with cool, clean, low pressure water for at least 15

minutes. Hold eyelids apart to ensure complete irrigation of the eye and eyelid tissue. DO NOT use eye ointment. Seek medical attention

immediately.

Skin: Remove contaminated shoes and clothing. Clean affected area thoroughly with mild soap and water. DO NOT use ointments. Seek medical

attention if irritation persists.

Inhalation: Immediately move victim to fresh air. If victim is not breathing, immediately begin rescue breathing. If heart has stopped, immediately begin

cardiopulmonary resuscitation (CPR). If breathing is difficult, seek medical attention immediately.

Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If

spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or unconscious, place on the left side with

head down. DO NOT leave victim unattended. Seek medical attention immediately.

Section 5 • Fire Fighting Measures

Products of Combustion: Carbon monoxide and carbon dioxide.

General Fire Hazards: Do not use on energized equipment. High heat will cause product to boil, evolving vapor that could cause

explosive rupture of closed containers.

Firefighting media: SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use CO2, water spray, fog or foam. Cool containing vessels with water jet in order to prevent

pressure build-up, auto-ignition or explosions.

Sensitivity to Impact: None Sensitivity to Static Discharge: Yes



Revision Date: April 30, 2014 Supersedes: October 17, 2012

Protection Clothing (Fire):

Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. Evacuate area and fight the fire from a maximum distance or use unmanned hose holders or monitor nozzles.

Special Remarks on Explosion Hazards:

Aerosols may explode upon heating, spread fire and overcome sprinkler systems.

Section 6 • Accidental Release Measures

Containment Procedures: Small Spill and Leak: Eliminate ignition sources. Absorb with an inert material and dispose of properly.

Large Spill and Leak: Eliminate ignition sources. Secure the area and control access. Dike far ahead of a liquid spill to

ensure complete collection. Pick up free liquid for disposal using absorbent pads, sand, or other inert non-combustible absorbent materials. Place into appropriate waste containers for later

disposal.

Clean-Up Procedures: Recover free product and place in a suitable container for disposal.

Evacuation Procedures: Ventilate area of leak or spill. Keep unnecessary and unprotected people away.

Special Procedures: Remove all sources of ignition. Ventilate area. Wear personal protective equipment during cleanup.

Section 7 • Handling and Storage

Handling: DO NOT spray into or around ignition sources. After handling, always wash hands thoroughly with soap and water. Use only with

adequate ventilation. Avoid breathing vapors or spray mists.

Storage: Keep container closed and in a cool, well-ventilated area. Avoid all sources of ignition (spark or flame). Store below 120°F (49°C).

Precautions to be taken in handling and storage:

Store aerosols as Level 3 Aerosol (NFPA 30B).

Section 8 • Exposure Controls / Personal Protection

Exposure Guidelines:

Component	CASRN	OSHA	ACGIH	NIOSH	Supplier	
1 December Homonolymor Hydrogeneted	5 mg/m3 (oil mist		5 mg/m3 (oil mist) TLV	5 mg/m3 (oil mist) TLV	Not optoblished	
1-Decene, Homopolymer, Hydrogenated	872-05-9	PEL	10 mg/m3 (oil mist) STEL	10 mg/m3 (oil mist) STEL	Not established	
Liquified Petroleum Gas	68476-86-8	1000 ppm PEL	1000 ppm TLV	1000 ppm TWA	None reported	
Polybutene	9003-29-6	Not established	Not established	Not established	50 ppm TWA	

Engineering Controls: Provide general and/or local exhaust ventilation to keep exposures below the exposure guidelines listed above.

Personal protective equipment

Eye protection: Safety glasses with side shields conforming to appropriate regulations. Eye wash fountain and emergency shower facilities are

recommended.



Revision Date: April 30, 2014 October 17, 2012 Supersedes:

Normally no hand protection is required; however, if product will be sprayed for an extended period, "overspray" onto skin may Hand protection:

occur. If so, wear chemical resistant gloves conforming to appropriate regulations. Please observe the instructions regarding

permeability and breakthrough time that are provided by the supplier of the gloves.

Respiratory protection: Typical use of this product under normal conditions does not require the use of respiratory protection. If airborne concentrations

are above the applicable exposure limits (listed above), use NIOSH approved respiratory protection (i.e. organic vapor

General Hygiene Considerations:

Wash thoroughly after handling. Have eye-wash facilities immediately available.

Section 9 • Physical and Chemical Properties

Color: Appearance: Liquid Clear, colorless

Odor: Mild / None **Evaporation Rate:** 1 (H2O = 1)

Solubility Description: Flash Point: Miscible at all proportions -118°C (-180°F) - propellant

Initial boiling point and

Specific Gravity (H2O=1):

boiling range

0.84 - 0.86 @ 20°C

Not established Flash Point Method: Tag-Closed Cup

Decomposition Temperature:

Vapor Density (air = 1): Auto ignition temperature: > 200°C (392°F) > 1

LOWER: 1.8% Vapor Pressure: > 200 mm Hg @ 20°C Flammable limits (estimated):

UPPER: 7.0%

Not established

Rule 1171 PPc: Not applicable Partition Coefficient (octanol/water): > 1

V.O.C. Content: Aerosol: 24% **Odor Threshold:** Not established

> Bulk: Not applicable

Melting Point: Not established Viscosity: 150 mm2/s (cSt) @ 40°C

:Ha Not applicable Volatiles: 20 - 30%

Heat of combustion: Aerosol: > 30 kJ/g

Bulk: Not applicable

Section 10 • Stability and Reactivity

Chemical Stability: Product is stable under recommended storage conditions.

Keep away from heat and ignition sources. Avoid exposure to direct sunlight for extended periods and Conditions to Avoid:

temperatures in excess of 122°F (50°C).

Incompatibility: Extremely reactive or incompatible with oxidizing agents.

Combustion will generate smoke, possibly thick and choking, resulting in zero visibility and combustion products **Hazardous Decomposition:**

include carbon monoxide and carbon dioxide.

Hazardous Polymerization: Will not occur.



Revision Date: April 30, 2014 Supersedes: October 17, 2012

Section 11 • Toxicological Information

Acute and Chronic Toxicity

A: General Product Information

An acute toxicity study of this product has not been conducted. Information given in this section relates only to individual constituents contained in this preparation.

B: Component Analysis

Component	CASRN	LC-50	LD-50
1-Decene, Homopolymer, Hydrogenated	872-05-9	Not established	Not established
Liquified Petroleum Gas	68476-86-8	658 mg/L / rat / 4 hr*	Not appropriate
Polybutene	9003-29-6	Not established	> 2000 mg/kg / oral / rat

^{*} Supplier Data

Section 12 • Ecological Information

Mobility: Non-volatile. Absorbed only slowly into soil. Persistence / Degradability: Only slightly biodegradable

Bioaccumulative potential: No bioaccumulation potential Other adverse effects: Not established

The mixture is not classified as environmentally toxic.

Ecotoxicity

Effects on Organisms	Component	CASRN	Test	Species	Results
Acute Toxicity on Fishes					
Acute Toxicity on Daphnia					
Bacterial Inhibition			No data available		
Growth inhibition of algae					
Bioaccumulation in fish					

^{*} Supplier Data

Section 13 • Disposal Considerations

Waste Status: Aerosol cans, if depressurized and emptied to less than 1 inch (2.54 cm) of fluid contents, are classified as non-hazardous waste under 40

CFR 261.7 (U.S.). If disposed of in its received form, the aerosol product carries the waste codes D001 and D003 (U.S.).

Disposal: Waste must be disposed of in accordance with any and all applicable environmental control rules and/or regulations.

Note: Chemical additions to, processing of, or otherwise altering this material may make this waste management information inaccurate,

incomplete, or otherwise inappropriate. Furthermore, state and local waste disposal requirements may be more restrictive than federal laws

and regulations.



Revision Date: April 30, 2014 Supersedes: October 17, 2012

Section 14 • Transport Information

	Shipping Name:	Aerosols	UN No.:	1950
D.O.T. Ground	Hazard Class:	2.1	Technical Name:	NA
D.O.1. Ground	Subclass:	NA	Hazard Label:	LTD QTY
	Packing Group:	NA		
	UN No.:	1950	ADR Class:	2
Road/Rail -	Packing Group:	NA	Classification Code:	5F
ADR/RID	Name and description:	AEROSOLS, flammable	Hazard ID No.:	NA
	Labeling:	2.1	Technical Name:	NA
	UN No.:	1950	Class:	2
	Shipping Name:	Aerosols	Subsidiary Risk:	2.1
IMDG-IMO	Labeling:	2	Packing Group:	NA
	Packing Instructions:	P003, LP02	EmS:	F-D, S-U
	Marine pollutant:	No	Technical Name:	NA
IATA - ICAO:	UN No.:	1950	Class:	2.1
	Shipping Name:	Aerosols, flammable	Subclass:	NA
	Packing Instructions:	203, Y203 (Ltd. Qty.)	Packing Group:	NA
	Labeling:	Flammable Gas	Technical Name:	NA

The preceding information is subject to change and must be verified prior to shipment. It is the responsibility of anyone offering hazardous materials for shipment to ensure compliance with all applicable regulations.

Section 15 • Regulatory Information

U.S. Federal Regulations

RCRA Hazardous Waste No.: D001, D003

Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA):

None

Toxic Substances Control Act (TSCA):

All components of this product are TSCA inventory listed and/or are exempt.

Superfund Amendments and Reauthorization Act (SARA) Title III SARA Section 311/312 (40 CFR 370) Hazard Categories:

Sudden Release of Pressure, Fire Hazard, Immediate (Acute) Health Hazard

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):

None

Section 112 Hazardous Air Pollutants (HAPs): None

State Regulations

California: This product does not contain chemical(s) known to the State of California to cause cancer, birth defects or other

reproductive harm.

California and OTC States: This product conforms to consumer product regulations.

New Jersey Right to Know:

 $1-Decene,\ Homopolymer,\ Hydrogenated\ 872-05-9\bullet Hydrocarbon\ propellant-68476-86-8\bullet Polybutenes\ 9003-29-6\bullet White\ Oil\ 8042-29-4\bullet\ Triphenyland Hydrocarbon\ Polybutenes\ 9003-29-6\bullet White\ Oil\ 8042-29-4\bullet Triphenyland\ Polybutenes\ Polybutenes\ 9003-29-6\bullet White\ Oil\ 8042-29-4\bullet Triphenyland\ Polybutenes\ Polybutenes\ 9003-29-6\bullet White\ Oil\ 8042-29-4\bullet Triphenyland\ Polybutenes\ Polybutenes\$

phosphorothionate 597-82-0

Bulk: Not applicable

International Regulations



RoHS Compliant:

SAFETY DATA SHEET LPS® FOODLUBE Chain Spray Synthetic

Revision Date: April 30, 2014

None

Supersedes:

October 17, 2012

Montreal Protocol listed ingredients: Stockholm Convention listed ingredients: Rotterdam Convention listed engredients:

None None Yes

Section 16 • Other Information

		HMIS III		NFPA
MSDS#:	157616	HIVII S III		Flammability
MSDS Preparation		Health:	[/] 1	
Responsible Name:			[/] י	3
	Ed Williams	Flammability Aerosol:	4	Health (1 0 Reactivity
	Technical Manager	Flammability Bulk:	NA	Y Y
		Physical Hazard Aerosol:	2	<u> </u>
		Physical Hazard Bulk:	NA	Special

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

LPS Laboratories, a division of Illinois Tool Works