SAFETY DATA SHEET

1. Identification

Product identifier LPS® Anti-Spatter

Other means of identification

Part Number 02116, C02116

Recommended use A water-based emulsion for releasing welding spatter.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

ITW Pro Brands Company name **Address** 4647 Hugh Howell Rd.

Tucker, GA 30084

Country (U.S.A.)

Tel: +1 770-243-8800

1-800-424-9300 In Case of Emergency

1-703-527-3887

Website www.lpslabs.com

E-mail lpssds@itwprobrands.com ITW Permatex Canada Supplier

1-35 Brownridge Road Halton Hills, ON, L7G 0C6

Canada

1-800-241-8334

2. Hazard(s) identification

Physical hazards Gases under pressure Compressed gas

Health hazards Not classified. **Environmental hazards** Not classified.

Label elements



Signal word

Hazard statement Contains gas under pressure; may explode if heated.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Wash hands after handling. Response

Storage Protect from sunlight. Store in a well-ventilated place.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards None known. Supplemental information None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
Water		7732-18-5	> 95	
Lecithin		8002-43-5	1 - 3	

Material name: LPS® Anti-Spatter SDS CANADA

Chemical name	Common name and synonyms	CAS number	%	
1-(3-Chloroallyl)-3,5,7-triaza-1-azon iaadamantane chloride		4080-31-3	0.1 - 1	
Alcohols, C10-16,ethoxylated		68002-97-1	0.1 - 1	
Nitrogen		7727-37-9	0.1 - 1	

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

No adverse effects due to skin contact are expected. Skin contact

No specific first aid measures noted. **Eve contact** Ingestion Not likely, due to the form of the product.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed General information Provide general supportive measures and treat symptomatically.

Direct contact with eyes may cause temporary irritation.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical Special protective equipment

and precautions for firefighters Fire fighting

equipment/instructions

General fire hazards

Specific methods

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose

holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Cool containers exposed to flames with water until well after the fire is out.

Contents under pressure. Pressurized container may explode when exposed to heat or flame.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Do not re-use empty containers. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Material name: LPS® Anti-Spatter SDS CANADA 2/7 Conditions for safe storage, including any incompatibilities Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place. Stored containers should be periodically checked for general condition and leakage. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Wear suitable protective clothing. Other

Respiratory protection If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an

air-supplied respirator.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Gas. Physical state **Form** Aerosol.

Color Opaque. Milky. Odor Not significant. Not established Odor threshold

8.5 - 9 Hq

Melting point/freezing point Not established

Initial boiling point and boiling

range

212 °F (100 °C) - dispensed liquid

Flash point None **Evaporation rate** 1 (water = 1)Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not established

Flammability limit - upper

Not established

Explosive limit - lower (%) Not established Not established Explosive limit - upper (%) Vapor pressure Not established Vapor density Not established

Relative density 0.99 - 1.01 @ 20°C (water = 1)

Solubility(ies)

100 % Solubility (water) Partition coefficient < 1

(n-octanol/water)

Auto-ignition temperature Not established

Material name: LPS® Anti-Spatter SDS CANADA 3/7 Decomposition temperature Not established Viscosity Not established

Other information

Explosive propertiesNot explosive.Heat of combustion< 20 kJ/g</th>Oxidizing propertiesNot oxidizing.Percent volatile95 - 97 %

VOC 0 % per US State & Federal Consumer Product Regulations

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous

Hazardous polymerization does not occur.

reactions

Conditions to avoid Heat. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Components Species Test Results

1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride (CAS 4080-31-3)

<u>Acute</u> Dermal

LD50 Rabbit 565 mg/kg

Oral

LD50 Rat 500 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Canada - British Columbia OELs: Simple asphyxiant

Nitrogen (CAS 7727-37-9) Simple asphyxiant.

Canada - Manitoba OELs Hazard: Asphyxiant

Nitrogen (CAS 7727-37-9) Simple asphyxiant.

Canada - Ontario OELs: Asphyxiant

Nitrogen (CAS 7727-37-9) Simple asphyxiant.

Canada - Quebec OELs: Asphyxiant

Nitrogen (CAS 7727-37-9) Simple asphyxiant.

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Material name: LPS® Anti-Spatter SDS CANADA

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

Not classified.

repeated exposure

Aspiration hazard Not likely, due to the form of the product.

This product has no known adverse effect on human health. **Further information**

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

LPS® Anti-Spatter < 1 1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride-0.1 Nitrogen 0.67

Mobility in soil No data available. Other adverse effects None known.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance

with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

D003: Waste Reactive material

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

14. Transport information

TDG

UN number UN1950

UN proper shipping name

Transport hazard class(es)

AEROSOLS, non-flammable

2.2 Class Subsidiary risk

Packing group Not applicable. **Environmental hazards** Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number UN1950

Aerosols, non-flammable **UN proper shipping name**

Transport hazard class(es)

2.2 Class Subsidiary risk

Packing group Not applicable.

Environmental hazards No. 21 **ERG Code**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Material name: LPS® Anti-Spatter SDS CANADA 5/7 Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1950

UN proper shipping name AEROSOLS, NON-FLAMMABLE

Transport hazard class(es)

Class 2.2 Subsidiary risk -Label(s) 2.2

Packing group Not applicable.

Environmental hazards

 $\begin{tabular}{ll} \mbox{Marine pollutant} & \mbox{No.} \\ \mbox{EmS} & \mbox{F-D, S-U} \\ \end{tabular}$

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code IATA; IMDG; TDG



General information Ensure compliance with applicable regulations.

15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Material name: LPS® Anti-Spatter sds canada

Country(s) or region Inventory name On inventory (yes/no)* Europe European Inventory of Existing Commercial Chemical Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Europe No Japan Inventory of Existing and New Chemical Substances (ENCS) No Korea Existing Chemicals List (ECL) No New Zealand New Zealand Inventory Yes Philippine Inventory of Chemicals and Chemical Substances **Philippines** Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date 01-29-2017

Version # 01

ITW Pro Brands cannot anticipate all conditions under which this information and its product, or Disclaimer

the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text.

Product and Company Identification: Product Uses **Revision information**

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Transport Information: Material Transportation Information

Regulatory Information: United States HazReg Data: International Inventories

GHS: Classification

Material name: LPS® Anti-Spatter SDS CANADA 02116, C02116 Version #: 01 Issue date: 01-29-2017