# PROBRANDS

# SAFETY DATA SHEET

# 1. Identification

Product identifier LPS® Food Grade Anti-Seize

Other means of identification

**Part Number** 06508, 06510, C06508, C06510

**Recommended use** A food grade anti-seize lubricant designed to prevent seizure and galling.

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name ITW Pro Brands

Address 4647 Hugh Howell Rd.

Tucker, GA 30084

Country (U.S.A.)

Tel: +1 770-243-8800

In Case of Emergency 1-800-424-9300

1-703-527-3887

Website www.lpslabs.com

E-mail lpssds@itwprobrands.com
Supplier ITW Permatex Canada

1-35 Brownridge Road

Halton Hills, ON, L7G 0C6

Canada

1-800-241-8334

# 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None known.

# 3. Composition/information on ingredients

# **Mixtures**

The components are not hazardous or are below required disclosure limits.

# 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Material name: LPS® Food Grade Anti-Seize
06508, 06510, C06508, C06510 Version #: 02 Revision date: 11-17-2017 Issue date: 11-21-2016

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away.

Methods and materials for containment and cleaning up This product is miscible in water. Stop the flow of material, if this is without risk. Following product

recovery, flush area with water.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container.

# 8. Exposure controls/personal protection

Occupational exposure limits

**US. ACGIH Threshold Limit Values** 

Components	Туре	Value	Form
Magnesium Silicate Hydrate (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
0 I. All . I. OFL . (0		L. J. L. 4. T. L.L. 6\	

### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) **Form** Components Type Value Calcium Carbonate (CAS **TWA** 10 mg/m3 1317-65-3) Magnesium Silicate Hydrate **TWA** 2 mg/m3 Respirable particles. (CAS 14807-96-6) Titanium Dioxide (CAS **TWA** 10 mg/m3 13463-67-7)

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
Calcium Carbonate (CAS 1317-65-3)	STEL	20 mg/m3	Total dust.
	TWA	3 mg/m3 10 mg/m3	Respirable fraction. Total dust.

Material name: LPS® Food Grade Anti-Seize

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
Magnesium Silicate Hydrate (CAS 14807-96-6)	TWA	2 mg/m3	Respirable.
Titanium Dioxide (CAS 13463-67-7)	TWA	3 mg/m3	Respirable fraction.
,		10 mg/m3	Total dust.

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Туре	Value	Form
Magnesium Silicate Hydrate (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form	
Magnesium Silicate Hydrate (CAS 14807-96-6)	TWA	2 fibers/ml		
,		2 mg/m3	Respirable fraction.	
Titanium Dioxide (CAS	TWA	10 mg/m3		

Canada, Quebec OELs, (Ministry of Labor - Regulation respecting occupational health and safety)

Odilada. Gacocc OLLS. (Willingtry Ol	Labor - ricgulation respect	ing occupational nearth and 3	neutin and salety)	
Components	Туре	Value	Form	
Calcium Carbonate (CAS 1317-65-3)	TWA	10 mg/m3	Total dust.	
Magnesium Silicate Hydrate (CAS 14807-96-6)	TWA	3 mg/m3	Respirable dust.	
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Total dust.	

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Occupational Exposure Limits are not relevant to the current physical form of the product. **Exposure guidelines** 

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Wear suitable protective clothing. Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

pН

Solid. Physical state Gel. **Form** Color White. Odor Slight. Not available. Odor threshold Not available.

Melting point/freezing point

Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) not soluble in water

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Specific gravity 1.18 @ 20 °C

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Acids. Fluorine. Strong oxidizing agents.

**Hazardous decomposition** Carbon oxides.

products

# 11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

**Acute toxicity** Not expected to be acutely toxic.

Components Species Test Results

Titanium Dioxide (CAS 13463-67-7)

Acute Inhalation

LC50 Rat > 2.28 mg/l, 4 Hours

Oral

LD50 Rat > 2000 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Material name: LPS® Food Grade Anti-Seize
06508, 06510, C06508, C06510 Version #: 02 Revision date: 11-17-2017 Issue date: 11-21-2016

Serious eve damage/eve

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

Calcium Carbonate (CAS 1317-65-3) Irritant Titanium Dioxide (CAS 13463-67-7) Irritant

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

This product is not expected to cause reproductive or developmental effects.

**ACGIH Carcinogens** 

Magnesium Silicate Hydrate (CAS 14807-96-6) Titanium Dioxide (CAS 13463-67-7)

A4 Not classifiable as a human carcinogen. A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

Magnesium Silicate Hydrate (CAS 14807-96-6) Titanium Dioxide (CAS 13463-67-7)

Not classifiable as a human carcinogen. Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Magnesium Silicate Hydrate (CAS 14807-96-6)

2B Possibly carcinogenic to humans.

3 Not classifiable as to carcinogenicity to humans.

Titanium Dioxide (CAS 13463-67-7)

2B Possibly carcinogenic to humans.

Specific target organ toxicity -

Not classified.

single exposure

Reproductive toxicity

Specific target organ toxicity -

repeated exposure

Not classified.

Not likely, due to the form of the product.

**Aspiration hazard Chronic effects** 

Prolonged exposure may cause chronic effects.

**Further information** None known.

12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species **Test Results** 

Titanium Dioxide (CAS 13463-67-7)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) > 1000 mg/l, 48 hours Fish LC50 Mummichog (Fundulus heteroclitus) > 1000 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

No data available. Bioaccumulative potential Mobility in soil No data available. Other adverse effects None known.

13. Disposal considerations

**Disposal instructions** 

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Material name: LPS® Food Grade Anti-Seize

06508, 06510, C06508, C06510 Version #: 02 Revision date: 11-17-2017 Issue date: 11-21-2016

# 14. Transport information

### **TDG**

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and the IBC Code

# 15. Regulatory information

# Canadian regulations

# **Controlled Drugs and Substances Act**

Not regulated.

# Export Control List (CEPA 1999, Schedule 3)

Not listed.

### **Greenhouse Gases**

Not listed.

# **Precursor Control Regulations**

Not regulated.

# International regulations

### **Stockholm Convention**

Not applicable.

### **Rotterdam Convention**

Not applicable.

# **Kyoto protocol**

Not applicable.

### **Montreal Protocol**

Not applicable.

# **Basel Convention**

Not applicable.

## International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Toxic Chemical Substances (TCS)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

### 16. Other information

**Issue date** 11-21-2016 **Revision date** 11-17-2017

06508, 06510, C06508, C06510 Version #: 02 Revision date: 11-17-2017 Issue date: 11-21-2016

**Inventory name** 

On inventory (yes/no)\*

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Version # 02

Disclaimer

ITW Pro Brands cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Revision information** 

Hazard(s) identification: Disposal Hazard(s) identification: Prevention Hazard(s) identification: Storage Hazard(s) identification: GHS Symbols

Composition / Information on Ingredients: Ingredients

Composition/information on ingredients: Component information

Physical & Chemical Properties: Multiple Properties

GHS: Classification

SDS CANADA