



# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name or designation of the mixture** LPS® Anti-Spatter  
**Registration number** -  
**Synonyms** None.  
**Part Number** 02116, M02116  
**Issue date** 29-January-2017  
**Version number** 01

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** A water-based emulsion for releasing welding spatter.  
**Uses advised against** None known.

### 1.3. Details of the supplier of the safety data sheet

**Supplier** AlSCO Ltd  
**Company name** Unit 13 Hillmead Industrial Estate  
**Address** Marshall Road  
Swindon, Wiltshire  
United Kingdom SN5 5FZ  
**Telephone** +44 1793 733 900  
**In Case of Emergency** +001 703-527-3887  
**Manufacturer**  
**Company name** ITW Pro Brands  
**Address** 4647 Hugh Howell Rd., Tucker, GA 30084 (U.S.A.)

**Website** <http://www.lpslabs.com>  
**e-mail** [lpssds@itwprobrands.com](mailto:lpssds@itwprobrands.com)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Directive 67/548/EEC or 1999/45/EC as amended

**Classification** R5

The full text for all R-phrases is displayed in section 16.

#### Classification according to Regulation (EC) No 1272/2008 as amended

**Physical hazards**  
Aerosols Category 3 H229 - Pressurized container: May burst if heated.

#### Hazard summary

**Physical hazards** Heating may cause an explosion.  
**Health hazards** Not classified for health hazards. However, occupational exposure to the mixture or substance(s) may cause adverse health effects.  
**Environmental hazards** Not classified for hazards to the environment.  
**Specific hazards** None known.  
**Main symptoms** Exposure may cause temporary irritation, redness, or discomfort.

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** 1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride, Alcohols, C10-16,ethoxylated, Lecithin, Nitrogen, Water  
**Hazard pictograms** None.  
**Signal word** Warning

**Hazard statements**

H229 Pressurized container: May burst if heated.

**Precautionary statements****Prevention**P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P251 Do not pierce or burn, even after use.**Response**

Wash hands after handling.

**Storage**

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**Disposal**

Dispose of waste and residues in accordance with local authority requirements.

**Supplemental label information** None known.**2.3. Other hazards** None known.**SECTION 3: Composition/information on ingredients****3.2. Mixtures****General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Water	> 95	7732-18-5 231-791-2	-	-	
<b>Classification:</b>					<b>DSD:</b> - <b>CLP:</b> -
Lecithin	1 - 3	8002-43-5 232-307-2	-	-	
<b>Classification:</b>					<b>DSD:</b> - <b>CLP:</b> -
1-(3-Chloroallyl)-3,5,7-triaza-1-azonia adamantane chloride	0,1 - 1	4080-31-3 223-805-0	-	-	
<b>Classification:</b>					<b>DSD:</b> T;R25, Xn;R21 <b>CLP:</b> Acute Tox. 4;H302, Acute Tox. 3;H311
Alcohols, C10-16,ethoxylated	0,1 - 1	68002-97-1 500-182-6	-	-	
<b>Classification:</b>					<b>DSD:</b> - <b>CLP:</b> -
Nitrogen	0,1 - 1	7727-37-9 231-783-9	-	-	
<b>Classification:</b>					<b>DSD:</b> - <b>CLP:</b> -

**List of abbreviations and symbols that may be used above**

DSD: Directive 67/548/EEC.

CLP: Regulation No. 1272/2008.

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

**Composition comments**

The full text for all R- and H-phrases is displayed in section 16.

**SECTION 4: First aid measures****General information**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

**4.1. Description of first aid measures****Inhalation**

If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.

<b>Skin contact</b>	Wash off with soap and water. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Rinse with water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	Exposure may cause temporary irritation, redness, or discomfort.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	Treat symptomatically.

## SECTION 5: Firefighting measures

<b>General fire hazards</b>	Contents under pressure. Pressurised container may explode when exposed to heat or flame.
<b>5.1. Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>5.2. Special hazards arising from the substance or mixture</b>	During fire, gases hazardous to health may be formed.
<b>5.3. Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Special fire fighting procedures</b>	Containers should be cooled with water to prevent vapor pressure build up.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	
<b>For non-emergency personnel</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.
<b>For emergency responders</b>	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
<b>6.2. Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground.
<b>6.3. Methods and material for containment and cleaning up</b>	Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material.
<b>6.4. Reference to other sections</b>	Use personal protection recommended in Section 8 of the SDS. For waste disposal, see section 13.

## SECTION 7: Handling and storage

<b>7.1. Precautions for safe handling</b>	Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Do not re-use empty containers. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store away from incompatible materials (see Section 10 of the SDS).
<b>7.3. Specific end use(s)</b>	Not available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

#### Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09 Components

Components	Type	Value
Propylene glycol (CAS 57-55-6)	MAC	10 mg/m <sup>3</sup> 150 ppm

**Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)**

Components	Type	Value	Form
1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride (CAS 4080-31-3)	TWA	2 mg/m <sup>3</sup>	Inhalable fraction.

**Ireland. Occupational Exposure Limits**

Components	Type	Value	Form
Propylene glycol (CAS 57-55-6)	TWA	470 mg/m <sup>3</sup>	Total vapour and particulates.
		10 mg/m <sup>3</sup>	Particulate.
		150 ppm	Total vapour and particulates.

**Latvia. OELs. Occupational exposure limit values of chemical substances in work environment**

Components	Type	Value
Propylene glycol (CAS 57-55-6)	TWA	7 mg/m <sup>3</sup>

**Lithuania. OELs. Limit Values for Chemical Substances, General Requirements**

Components	Type	Value
Propylene glycol (CAS 57-55-6)	TWA	7 mg/m <sup>3</sup>

**Norway. Administrative Norms for Contaminants in the Workplace**

Components	Type	Value
Propylene glycol (CAS 57-55-6)	TLV	79 mg/m <sup>3</sup>
		25 ppm

**UK. EH40 Workplace Exposure Limits (WELs)**

Components	Type	Value	Form
Propylene glycol (CAS 57-55-6)	TWA	474 mg/m <sup>3</sup>	Total vapour and particulates.
		10 mg/m <sup>3</sup>	Particulate.
		150 ppm	Total vapour and particulates.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Follow standard monitoring procedures.

**Derived no effect levels (DNELs)** Not available.

**Predicted no effect concentrations (PNECs)** Not available.

**8.2. Exposure controls**

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment**

**General information** Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin protection**

**- Hand protection** Wear appropriate chemical resistant gloves.

**- Other** Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**Environmental exposure controls** Environmental manager must be informed of all major releases.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state	Gas.
Form	Aerosol
Colour	Opaque. Milky.
Odour	Not significant.
Odour threshold	Not established
pH	8,5 - 9
Melting point/freezing point	Not established
Initial boiling point and boiling range	100 °C (212 °F) - dispensed liquid
Flash point	None
Evaporation rate	1 (Water = 1)
Flammability (solid, gas)	Not available.
<b>Upper/lower flammability or explosive limits</b>	
Flammability limit - lower (%)	Not established
Flammability limit - upper (%)	Not established
Explosive limit - lower (%)	Not established
Explosive limit – upper (%)	Not established
Vapour pressure	Not established
Vapour density	Not established
Relative density	0,99 - 1,01 @ 20°C (Water = 1)
<b>Solubility(ies)</b>	
Solubility (water)	100 %
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	< 1
Auto-ignition temperature	Not established
Decomposition temperature	Not established
Viscosity	Not established
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

#### 9.2. Other information

Heat of combustion	< 20 kJ/g
Percent volatile	95 - 97 %
VOC	0 % per US State & Federal Consumer Product Regulations

## SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Carbon oxides.

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.

<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.
<b>Ingestion</b>	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
<b>Symptoms</b>	Exposure may cause temporary irritation, redness, or discomfort.

### 11.1. Information on toxicological effects

**Acute toxicity** Not expected to be acutely toxic.

Components	Species	Test results
------------	---------	--------------

1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride (CAS 4080-31-3)

#### Acute

##### **Dermal**

LD50	Rabbit	565 mg/kg
------	--------	-----------

##### **Oral**

LD50	Rat	500 mg/kg
------	-----	-----------

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

**Serious eye damage/eye irritation** Direct contact with eyes may cause temporary irritation.

**Respiratory sensitisation** Not a respiratory sensitizer.

**Skin sensitisation** This product is not expected to cause skin sensitisation.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)**

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not likely, due to the form of the product.

**Mixture versus substance information** No information available.

**Other information** This product has no known adverse effect on human health.

## SECTION 12: Ecological information

**12.1. Toxicity** Based on available data, the classification criteria are not met for hazardous to the aquatic environment.

**12.2. Persistence and degradability** No data is available on the degradability of this product.

### 12.3. Bioaccumulative potential

#### **Partition coefficient**

##### **n-octanol/water (log Kow)**

LPS® Anti-Spatter	< 1
1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride	-0,1
Nitrogen	0,67

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** No data available.

**12.5. Results of PBT and vPvB assessment** Not available.

### 12.6. Other adverse effects

None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.
<b>EU waste code</b>	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Disposal methods/information</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Special precautions</b>	Dispose in accordance with all applicable regulations.

## SECTION 14: Transport information

### ADR

<b>14.1. UN number</b>	UN1950
<b>14.2. UN proper shipping name</b>	AEROSOLS, non-flammable
<b>14.3. Transport hazard class(es)</b>	
<b>Class</b>	2.2
<b>Subsidiary risk</b>	-
<b>Label(s)</b>	2.2
<b>Hazard No. (ADR)</b>	Not available.
<b>Tunnel restriction code</b>	D
<b>14.4. Packing group</b>	Not applicable.
<b>14.5. Environmental hazards</b>	No.
<b>14.6. Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.

### RID

<b>14.1. UN number</b>	UN1950
<b>14.2. UN proper shipping name</b>	AEROSOLS, non-flammable
<b>14.3. Transport hazard class(es)</b>	
<b>Class</b>	2.2
<b>Subsidiary risk</b>	-
<b>Label(s)</b>	2.2
<b>14.4. Packing group</b>	Not applicable.
<b>14.5. Environmental hazards</b>	No.
<b>14.6. Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.

### ADN

<b>14.1. UN number</b>	UN1950
<b>14.2. UN proper shipping name</b>	AEROSOLS, asphyxiant
<b>14.3. Transport hazard class(es)</b>	
<b>Class</b>	2.2
<b>Subsidiary risk</b>	-
<b>Label(s)</b>	2.2
<b>14.4. Packing group</b>	Not applicable.
<b>14.5. Environmental hazards</b>	No.
<b>14.6. Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.

### IATA

<b>14.1. UN number</b>	UN1950
<b>14.2. UN proper shipping name</b>	Aerosols, non-flammable
<b>14.3. Transport hazard class(es)</b>	
<b>Class</b>	2.2
<b>Subsidiary risk</b>	-
<b>14.4. Packing group</b>	Not applicable.
<b>14.5. Environmental hazards</b>	No.
<b>ERG Code</b>	2L
<b>14.6. Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Other information</b>	
<b>Passenger and cargo aircraft</b>	Allowed with restrictions.
<b>Cargo aircraft only</b>	Allowed with restrictions.

## IMDG

14.1. UN number	UN1950
14.2. UN proper shipping name	AEROSOLS, NON-FLAMMABLE
14.3. Transport hazard class(es)	
Class	2.2
Subsidiary risk	-
Label(s)	2.2
14.4. Packing group	Not applicable.
14.5. Environmental hazards	
Marine pollutant	No.
EmS	F-D, S-U
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.

ADN; ADR; IATA; IMDG; RID



## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**

Not listed.

#### Other EU regulations

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

Not listed.



**Other regulations** The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

**National regulations** Follow national regulation for work with chemical agents.

**15.2. Chemical safety assessment** No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

**List of abbreviations** Not available.

**References** Not available.

**Information on evaluation method leading to the classification of mixture** The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

**Full text of any statements or R-phrases and H-statements under Sections 2 to 15**

R21 Harmful in contact with skin.  
R25 Toxic if swallowed.  
R5 Heating may cause an explosion.  
H302 Harmful if swallowed.  
H311 Toxic in contact with skin.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.

**Training information** Follow training instructions when handling this material.

**Disclaimer** ITW Pro Brands cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.